



Marine Covers

Solacryl	132-133
Acrylic & Polyester	
Cover Materials	134
Polyester & Vinyl Cover	
Materials	135
Vinyl Materials	136
Binding & Awning Tapes	137
Awning Tapes, Tracks & Hooks	138
Awning Hooks & Eyes	139
Stainless Steel Boat Top	
Fixings	140-141
Stainless/Plastic Boat Top	
Fixings	142-143
DOT® Fasteners	144-145
Tenax & Permalock Fasteners	146

SOLACRYL

Benefits


Solacryl is a high quality range of 100% acrylic fabrics manufactured exclusively for Bainbridge International. Designed primarily for use in marine covers, Solacryl is woven and finished to an exacting specification based on our 25 years experience of supplying fabric to covermakers.

Four styles of Solacryl are available, each specifically designed for different marine applications.



© Joe McCarthy

Colour Availability



Note: Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric.

Why Use Solacryl Marine Acrylic?

- ▲ Woven construction provides a traditional, quality appearance.
- ▲ Solution dyed for rich non fade colours and reduced 'crazing' or 'marbling'.
- ▲ Acrylic yarns give excellent UV stability especially compared with polyester products.
- ▲ Weather resistant to extremes of temperature. Unlike PVC it will not sweat, stick or crack.
- ▲ Rot proof.
- ▲ Fungi, bacteria and insect resistant.
- ▲ Oil and grease resistant.
- ▲ Wide choice of attractive colours.
- ▲ Easy to clean.

Caring For a Solacryl Cover

Solacryl marine acrylics have been specifically designed for use in marine covers and awnings and will provide many years of service and protection to your boat. Following these simple guidelines will prolong their appearance.

- ▲ Clean regularly to prevent dirt becoming embedded in the fabric.
- ▲ Loose dirt can simply be brushed off.
- ▲ For more intensive cleaning hose down and clean with warm water and a natural soap solution. Rinse thoroughly.
- ▲ Covers should be clean and dry before winter storage.

Product Specification Table

Product	Minimum Hydrostatic Head: mm/in	UV Fastness (Max 8)	Oil Repellancy (Max 6)
Solacryl 200	-	8	5
Solacryl Uncoated	300 12	8	5
Solacryl Coated	1000 39	8	5
Solacryl Vinyl Coated	Waterproof	8	5

Solacryl 200

This ultra-light style is intended for use by sailmakers as sacrificial UV strips on furling genoas. However, it is also used for upholstery, cushion covers, sun awnings, bags and very light covers.

Part No	Description	Weight: gsm / oz/yd ²		Width: mm/in		Roll Length: m/yds		Colour
F81500100	Ultra light acrylic	195	5.8	1400	55	60	65	White
F81500220	Ultra light acrylic	195	5.8	1400	55	60	65	Royal Blue

Solacryl Uncoated

Solacryl Uncoated is ideal for applications such as sail, winch and binnacle covers where leakage from puddling is unlikely but trapped damp could cause mildew and corrosion. It is also ideal for wooden boats and boats that are self draining where a damp atmosphere will cause damage yet water in the boat will drain or evaporate quickly.

Part No	Description	Weight: gsm / oz/yd ²		Width: mm/in		Roll Length: m/yds		Colour
F83500100	Uncoated acrylic	320	9.4	1500	59	60	65	White
F83500205	Uncoated acrylic	320	9.4	1500	59	60	65	Captain Navy
F83500210	Uncoated acrylic	320	9.4	1500	59	60	65	Navy Blue
F83500220	Uncoated acrylic	320	9.4	1500	59	60	65	Royal Blue
F83500230	Uncoated acrylic	320	9.4	1500	59	60	65	Mid Blue
F83500300	Uncoated acrylic	320	9.4	1500	59	60	65	Silver
F83500400	Uncoated acrylic	320	9.4	1500	59	60	65	Grey
F83500450	Uncoated acrylic	320	9.4	1500	59	60	65	Black
F83500500	Uncoated acrylic	320	9.4	1500	59	60	65	Stone
F83500600	Uncoated acrylic	320	9.4	1500	59	60	65	Beige
F83500700	Uncoated acrylic	320	9.4	1500	59	60	65	Dark Green
F83500800	Uncoated acrylic	320	9.4	1500	59	60	65	Red
F83500910	Uncoated acrylic	320	9.4	1500	59	60	65	Burgundy

Solacryl Coated

Solacryl Coated features a heavier acrylic coating to increase the hydrostatic head to over 1000mm. This coating does not affect the appearance or feel of the fabric, making for a cover that is almost 100% waterproof, yet retains the appearance and quality of a traditional cover.

Solacryl Coated is the most popular style in the range as it is ideal for most marine applications including sprayhoods, biminis and cockpit covers.

Part No	Description	Weight: gsm / oz/yd ²		Width: mm/in		Roll Length: m/yds		Colour
F84500100	Coated acrylic	335	9.9	1500	59	60	65	White
F84500205	Coated acrylic	335	9.9	1500	59	60	65	Captain Navy
F84500210	Coated acrylic	335	9.9	1500	59	60	65	Navy Blue
F84500220	Coated acrylic	335	9.9	1500	59	60	65	Royal Blue
F84500230	Coated acrylic	335	9.9	1500	59	60	65	Mid Blue
F84500300	Coated acrylic	335	9.9	1500	59	60	65	Silver
F84500400	Coated acrylic	335	9.9	1500	59	60	65	Grey
F84500450	Coated acrylic	335	9.9	1500	59	60	65	Black
F84500500	Coated acrylic	335	9.9	1500	59	60	65	Stone
F84500600	Coated acrylic	335	9.9	1500	59	60	65	Beige
F84500700	Coated acrylic	335	9.9	1500	59	60	65	Dark Green
F84500800	Coated acrylic	335	9.9	1500	59	60	65	Red
F84500910	Coated acrylic	335	9.9	1500	59	60	65	Burgundy

Solacryl Vinyl Coated

The addition of a vinyl coating makes this style of Solacryl 100% waterproof. It is ideal for use where no water penetration is acceptable.

Part No	Description	Weight: gsm / oz/yd ²		Width: mm/in		Roll Length: m/yds		Colour
F85500210	Vinyl Coated acrylic	590	17.4	1500	59	60	65	Navy Blue
F85500230	Vinyl Coated acrylic	590	17.4	1500	59	60	65	Mid Blue
F85500400	Vinyl Coated acrylic	590	17.4	1500	59	60	65	Grey
F85500500	Vinyl Coated acrylic	590	17.4	1500	59	60	65	Stone



Do not use detergents or chlorine solutions as these can damage the water repellent coatings.
Do not iron, tumble dry or subject material to extreme heat.

Other colours are available against special order. All special order items are subject to minimum order quantities and additional lead times. Prices on application.



Acrylic & Polyester Cover Materials

Original Sunbrella® - Made in USA

"Sunbrella" solution-dyed acrylic is the most widely used marine cover fabric in the world. It exhibits good colour stability, UV and stain resistance and is offered in a wide range of colours. It permits breathing of the enclosed areas and reduces the risk of mildew.

- ▲ Sunbrella® is manufactured from 100% solution dyed acrylic.
- ▲ Other colours available against special order.
- ▲ Standard roll length is between 30 - 50 metres/35 - 55 yards.
- ▲ All colours are available in 1170mm/46" and a limited range in 1520mm/60".



Sunbrella® Firesist

- ▲ Inherently flame resistant Sunbrella® acrylic fabrics. Available against special order.
- ▲ Meets NFPA701 fire retardant specifications.
- ▲ Meets most fire codes for exterior and interior fabric use.
- ▲ Will not melt drip.
- ▲ Very colourfast - colour is locked into fibre.
- ▲ Excellent mildew resistance.
- ▲ Breathes for a cooler covered area.
- ▲ Standard roll length is between 30 - 50 metres/35 - 55 yards.
- ▲ All colours are available in 1170mm/46" and a limited range in 1520mm/60".



All colours are available against special order. Please enquire for full details and prices.



Top Gun Polyester Cover Cloth

TOP GUN

- ▲ Polyester duck base fabric with a specially formulated polymeric coating that will not harden, crack or peel after outdoor exposure or when subjected to temperatures below 0°F.
- ▲ Stay-true, long lasting colours.
- ▲ Super high strength with great abrasion resistance.
- ▲ Stable fabric with maximum stretch or shrinkage less than 1%.
- ▲ UV and mildew resistant.
- ▲ Water repellent, but permeable to water vapour.
- ▲ Will not trap excess moisture.
- ▲ 5 year manufacturers warranty.
- ▲ Uses: Biminis, tops, trailer covers, winter covers.
- ▲ Weight: 373gsm/11 oz yd².
- ▲ Cut lengths available: minimum 5m.



Caribbean Blue



Seagull Grey



Navy Blue




Forest Green



Aquamarine



Black



Indian Birch



Arctic White



Teal



Burgundy



Sunset Red



Hemp Beige



Buckskin Tan



Harbour Blue



Charcoal Grey

Part No.	Colour	Width: mm/in	Av Roll Length: m/yd
F0300A18Y	Caribbean Blue	1570 62	45.7 50
F0300A97Y	Seagull Grey	1570 62	45.7 50
F0300A22Y	Navy Blue	1570 62	45.7 50
F0300A46Y	Forest Green	1570 62	45.7 50
F0300A89Y	Aquamarine	1570 62	45.7 50
F0300A60Y	Onyx Black	1570 62	45.7 50
F0300A14Y	Indian Birch	1570 62	45.7 50
F0300A00Y	Arctic White	1570 62	45.7 50
F0300A44Y	Teal	1570 62	45.7 50
F0300A75Y	Burgundy	1570 62	45.7 50
F0300A10Y	Sunset Red	1570 62	45.7 50
F0300A67Y	Hemp Beige	1570 62	45.7 50
F0300A74Y	Buckskin Tan	1570 62	45.7 50
F0300A90Y	Harbour Blue	1570 62	45.7 50
F0300A98Y	Charcoal Grey	1570 62	45.7 50

Note: Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric.

Polyester & Vinyl Cover Materials

Odyssey Polyester Cover Cloth

ODYSSEY

- ▲ Impregnation coated, 100% woven polyester suitable for many indoor or outdoor applications.
- ▲ Mildew and UV resistant.
- ▲ Superior water and stain resistance.
- ▲ Very low shrink or stretch.
- ▲ Breathable.
- ▲ Uses: Cots, boat covers, canopies, bags and miscellaneous covers.
- ▲ Weight: 220gsm/6.5 oz yd².
- ▲ Cut lengths available: minimum 5m.



Part No.	Colour	Width: mm/in		Av Roll Length: m/yd	
F0800A18Y	Caribbean Blue	1630	64	45.7	50
F0800A88Y	Silver Grey	1630	64	45.7	50
F0800A79Y	Royal Blue	1630	64	45.7	50
F0800A00Y	White	1630	64	45.7	50
F0800A10Y	Red	1630	64	45.7	50
F0800A14Y	Birch	1630	64	45.7	50
F0800A44Y	Teal	1630	64	45.7	50
F0800A46Y	Forest Green	1630	64	45.7	50
F0800A60Y	Black	1630	64	45.7	50
F0800A75Y	Burgundy	1630	64	45.7	50
F0800A65Y	Turquoise	1630	64	45.7	50
F0800A90Y	Harbour Blue	1630	64	45.7	50
F0800A97Y	Charcoal Grey	1630	64	45.7	50

Soft Touch by Odyssey

ODYSSEY

- ▲ 100% woven polyester Odyssey with a light weight, non-woven, soft fuzzy polyester backing.
- ▲ Abrasion resistant.
- ▲ Weatherproof.
- ▲ Backing provides excellent gel-coat or varnish protection.
- ▲ Uses: Boat & trailer covers.
- ▲ 405gsm/12.5oz/sq yd.



Part No.	Colour	Width: mm/in		Av Roll Length: m/yd	
F0805A18Y	Caribbean Blue	1520	60	45.7	50
F0805A88Y	Gray	1520	60	45.7	50
F0805A60Y	Black	1520	60	45.7	50

Page Navigation

Marine Cover Fittings
See Pages 144 - 147



Note: Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric.

Vinyl Materials

Sola-Vinyl 350


- ▲ Produced specifically for the marine market.
- ▲ Fine finish to enhance appearance.
- ▲ Polyester base fabric for low shrink.
- ▲ UV stabilised.
- ▲ Fungicide treated.
- ▲ Weight: 350gsm/10.3 oz yd²



Part No.	Colour	Width: mm/in		Av. Roll Length: m/yd	
FH350GY	Grey	1500	59	50	55
FH350RB	Royal Blue	1500	59	50	55
FH350WT	White	1500	59	50	55

Sola-Vinyl 550

- ▲ Designed specifically for marine covers.
- ▲ Cape grain finish to enhance appearance.
- ▲ Low shrink polyester base fabric.
- ▲ White is fungicide treated.
- ▲ Weight: 550gsm/16.2 oz yd²



Navy Blue

Part No.	Colour	Width: mm/in		Av. Roll Length: m/yd	
FH550NV	Navy Blue	1500	59	50	55

Nautolex Channel - Upholstery Quilting, Roll & Pleat


- ▲ Nautolex channel is made from premium marine grade Nautolex vinyl with PreFixx and 224gsm/6.6 ounce 100% polyester batting and liner. The vinyl and the batting are placed on top of each other and put into a special press that bonds and welds all of the materials together in the form of channels. The channels in our material are 38mm/1 1/2 inches apart.
- ▲ Please note channels run perpendicular to the edge of the roll and do not extend the full distance edge to edge. The actual usable material is only 1320mm/52 inches wide.
- ▲ Weight: 916gsm/27oz/sq yd.



Part No.	Color	Width: mm/in		Av Roll Length: m/yd	
F0900C008	Mystic White	1370	54	13	15
F0900C058	Off White	1370	54	13	15

Nautolex

- ▲ Premium UV protected marine grade expanded vinyl upholstery fabric.
- ▲ 600 hour UV resistance.
- ▲ The unique Nautolex formula with PreFixx ensures an overall protective performance.
- ▲ Expanded vinyl has a fabric mesh backing for reduced stretch.
- ▲ By the same manufacturer as Boltaflex®.
- ▲ Designed to meet California Flammability Regulation 117-75, Sec.E.
- ▲ Excellent tear strength.
- ▲ Outstanding stain resistance and cleanability.
- ▲ Superior abrasion resistance.
- ▲ Resistant to common scuffing and burnishing.
- ▲ Eliminates blocking and prevents premature aging.
- ▲ Mildew resistant.
- ▲ Available: As "Expanded vinyl" with fabric knit backing or "Non-Woven vinyl" with soft, white fleece backing.
- ▲ Weight: 678gsm/20oz/sq yd.
- ▲ Available on full rolls only.



Mystic White

Off-White

Light Gray



Brite Navy

Deep Blue

Lollipop Red



Hearty Burgundy

Sea Teal

Mushroom



Slate Black

Part No.	Colour	Width: mm/in		Av. Roll Length: m/yd	
F0900A008	Mystic White	1370	54	27	30
F0900A058	Off White	1370	54	27	30
F0900A978	Light Grey	1370	54	27	30
F0900A228	Brite Navy	1370	54	27	30
F0900A188	Deep Blue	1370	54	27	30
F0900A108	Lollipop Red	1370	54	27	30
F0900A758	Hearty Burgundy	1370	54	27	30
F0900A448	Sea Teal	1370	54	27	30
F0900A668	Mushroom (Lt. Tan)	1370	54	27	30
F0900A998	Slate Black	1370	54	27	30

Note: Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric.

Binding & Awning Tapes

Centre Fold Acrylic Binding Tape

- ▲ Woven acrylic binding tape with a naturally folding centre, finished to 22mm/ ¾ inch width.
- ▲ Binding for sail covers, cushions, tents, canopies, dodgers and biminis.
- ▲ Woven with Sunbrella acrylic yarns.
- ▲ Only sold in full rolls.



Beige

Pacific Blue

Burgundy



Black

Persian Green

Grey



White

Navy Blue

Forest Green



Jockey Red

Part No.	Colour	Width: mm/in	Roll Length: m/yd
E095BI	Beige	22.2 ¾	183 200
E095BU	Pacific Blue	22.2 ¾	183 200
E095BG	Burgundy	22.2 ¾	183 200
E095BK	Black	22.2 ¾	183 200
E095PG	Persian Green	22.2 ¾	183 200
E095GY	Grey	22.2 ¾	183 200
E095WT	White	22.2 ¾	183 200
E095NV	Navy Blue	22.2 ¾	183 200
E095FGR	Forest Green	22.2 ¾	183 200
E095RD	Jockey Red	22.2 ¾	183 200

Acrylic Binding Tape

- ▲ Softly woven binding tape to conform around corners nicely. Finished to 19mm/ ¾ inch width.
- ▲ Binding for sail covers, cushions, tents and canopies.
- ▲ Woven with Sunbrella acrylic yarns.
- ▲ Only sold in full rolls.



Pacific Blue

Black

White

Part No.	Colour	Width: mm/in	Roll Length: m/yd
E090BU	Pacific Blue	19 ¾	91 100
E090BK	Black	19 ¾	91 100
E090WT	White	19 ¾	91 100

Stamoid® Vinyl Double Fold Bias Binding Tape

- ▲ Premium quality Stamoid vinyl is double folded into 19mm/ ¾ inch bias binding tape. Stamoid vinyl has outstanding UV resistance, is dirt repellent and washable and is waterproof and treated against mildew.
- ▲ Matching binding is used with Stamoid to trim or bind cushions, canopies, dodgers and biminis etc.
- ▲ Binding is sold in full reels only.




STAMOID

Part No.	Colour	Width: mm/in	Roll Length: m/yd
E085WT	White	20 ¾	91 100
E085BK	Black	20 ¾	91 100
E085II	Ivory	20 ¾	91 100
E085CR	Cream	20 ¾	91 100
E085SD	Sand	20 ¾	91 100
E085SW	Snow White	20 ¾	91 100

Awning Tapes

- ▲ Available on full rolls only.



Part No.	Roll Length: m/yd	Cord: mm/in	Colour
LS001	80-100 90-110	7 0.3	White
LS001BU	80-100 90-110	7 0.3	Blue
LS001BK	80-100 90-110	7 0.3	Black
LS002	80-100 90-110	6 0.25	White

Plastic Piping Cord

- ▲ Plastic cord for piping spray hoods.




Part No.	Thickness: mm/in	Roll Size: m/ft
E491	4 0.16	305 1000
E492	5 0.20	305 1000
E493	6 0.24	305 1000
E494	7 0.28	305 1000

Note: Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric.

Awning Tapes, Track & Hooks

Keder

- ▲ Durable white woven polyester easily slides into vinyl or plastic mouldings.
- ▲ Can be RF welded.
- ▲ Single tongue: L575, L585.
- ▲ Double tongue: L575T.
- ▲ Reel length: 100m/330ft.
- ▲ Cut lengths will be surcharged.
- ▲ Available only on full rolls.



Part No.	Diameter: mm/in	Tape Width: mm/in	Use With
L575	7.5 3/8	20 3/4	G510
L575T	7.5 1/2	25 1	G510
L585	8.5 1/2	20 3/4	G520

Heavy Duty Plastic Track

- ▲ UV Stabilized PVC extrusion.
- ▲ Use for awning cords LS001 and L585.



Part No.	Description	Length m/ft
G530	Plastic Track	4.85 16

Awning Track

Bright polished metal and flexible plastic track used with Bainbridge International awning ropes for easy and compact fitting of covers, permitting quick removal.


- ▲ Polished finish.
- ▲ Track for L520/LS001/LS002.
- ▲ Use pan head screws to install.



Part No.	Description	Length: mm/ft
G520-8	Anodised Aluminium	2440 8

Flex-a-Rail


- ▲ Flex-A-Rail is a flexible, non-corrosive PVC extrusion track for awning rope.
- ▲ Flexible track for quick and easy installation.
- ▲ Easy to go around corners - no crimping tools required.
- ▲ Use flat or oval head screws.
- ▲ Use either L510, L520 or L575 rope.



Part No.	Description	Colour	Length: mm/ft
G510	Semi-Rigid PVC	White	2300 7.5
G510BK	Semi-Rigid PVC	Black	2300 7.5

Flex-a-Rail Screws

- ▲ Screws are sold in full packs only.
- ▲ Use to attach Flex-A-Rail and aluminium awning track.
- ▲ D371 requires a square head screwdriver.



D371

Part No.	Description	Pack Qty
D355	SS No 6 x 20mm/ 3/4 inch Flat Head	100
D356	SS No 6 x 20mm/ 3/4 inch Flat Head	100
D371	SS No 4 head with No 6 body x 12.5mm/ 1/2 inch	100

Square Head Screwdriver

- ▲ Use with D371 square head screws.
- ▲ Narrow shaft will NOT scratch Flex-a-Rail.



Part No.	Description
C335	Size 0 Square Head Screwdriver

Lacing Buttons



Part No.	Cord Dia: mm/in	Knob Dia: mm/in	Colour	Pack Qty
G045BK	5 3/16	18 1/16	Black	50
G045WT	5 3/16	18 1/16	White	50

Rivet-on Cover Hook - Plastic

- ▲ Injection moulded in nylon.
- ▲ Use D337 rivets, see page 85.
- ▲ Suitable for max 6mm shockcord. For details, see page 94.



Part No.	Colour	Pack Qty
A071	White	100

Awning Hooks & Eyes

Sew-on Cover Hooks & Eyelets - Plastic

- ▲ Injection moulded in nylon.
- ▲ Sew through plastic with straight stitch sewing machine.
- ▲ Can be used alone, or together.



A068WT




A069WT

Part No.	Description	Colour	Pack Qty
A069BK	Hook	Black	100
A069WT	Hook	White	100
A068BK	Eyelet	Black	100
A068WT	Eyelet	White	100

Wire Cover Hook

- ▲ Available manufactured from brass or stainless steel wire.
- ▲ Hand sew or use speedy rivets and backplates. See below.
- ▲ Suitable for max 10mm shockcord. For details, see page 94.



Part No.	Finish	Pack Qty
B401S	Stainless Steel	100

Speedy Rivets

- ▲ Use with B401 Hooks.
- ▲ Tap the two parts together with a hammer until they connect firmly.
- ▲ Available only in full packs of 100.



Part No.	Finish	Pack Qty
D050N	Nickel Plated	100 Sets

Sister Clips - Plastic

- ▲ Strong, light nylon sister clips for drawstrings and ties.



Part No.	Finish	Pack Qty
A550BK	Nylon Sister Clips	5 Pairs

Eye Straps



G201S



G201N

Part No.	Description
G201S	Polished stainless steel
G201N	Nickel plated brass

Dodger Hank


- ▲ Allow quick and easy attachment on dodgers to guard rails.
- ▲ Smarter than lacing.



Part No.	Wire Size: mm/in	Grommet Size	Colour	Pack Qty
A036	6 ¼	0 to 5	White	10

Shock Cord Cover Clip

- ▲ Used with a lacing knob or other cord cover clip for a fast and simple tie-down.
- ▲ Does not require tool to set.
- ▲ Now easier attaching system.



G040WT



G040BK

Part No.	Overall Length: mm/in	Color	Pack Qty
G040BK	86 3 ¾	Black	50
G040WT	86 3 ¾	White	50

Stainless Steel Boat Top Fittings

Deck Hinge Fittings - Screw Pin

- ▲ Die cast type 316 stainless steel.
- ▲ Mirror polished finish.



Part No.	Description
G622S	Flat fitting with screw pin
G623S	Angle fitting with screw pin
G626S	Concave fitting with screw pin

Deck Hinge Fittings - Removable Pin

- ▲ Die cast type 316 stainless steel.
- ▲ Mirror polished finish.



Part No.	Description
G628SQP	Angle fitting with quick release pin
G625S	Flat fitting with removable drop nose pin
G625SQP	Flat fitting with quick release pin
G627PIN	Replacement drop nose pin for G625S
G625PIN	Replacement quick release pin for G625SQP

Lanyard

- ▲ Lanyard is used to attach quick release pin to the deck hinge to prevent accidental loss.



Part No.	Description	Length: mm/inch
G625LAN	Stainless steel wire	155 6%

HD Folding Deck Hinge

- ▲ Hinge system compensates for different angles of deck and coamings without the need for wedges.
- ▲ Folds flat when canopy is removed preventing snagging and injury.
- ▲ Manufactured from type 316 stainless steel.
- ▲ Use with G611S, G621S, G631S and G641S.



Part No.	Description
G607S	HD Folding Deck Hinge

Quick Release Deck Mount

- ▲ Spring-loaded release button ejects eye end for almost instant frame removal.
- ▲ Stylish and unique design.
- ▲ Manufactured from type 316 stainless steel.
- ▲ Use with G611S, G621S, G631S and G641S.



Part No.	Description
G605S	Quick Release Deck Mount

Side Mount Fitting

- ▲ Die cast type 316 stainless steel.
- ▲ Mirror polished finish.
- ▲ Accepts all sizes of eye end.



Part No.	Description
G624S	4 hole side mount
G629S	2 hole side mount

Ball Swivel Quick Release Deck Mount & Eye End

- ▲ Heavy duty design and construction.
- ▲ Ball swivel allows for a full range of rotation.
- ▲ Features a quick release pin and lanyard.
- ▲ Double set screws.
- ▲ Complete adjustability to cater for all deck angles.
- ▲ Manufactured from 316 stainless steel.



Part No.	Description	Tube Size: mm/inch
G731S	Heavy Duty Stainless Steel Deck Fitting	25 1
G771S	Heavy Duty Stainless Steel Deck Fitting	22 ¾

Ball Swivel Jaw Slide and Eye End

- ▲ Heavy duty design and construction.
- ▲ Ball swivel allows for a full range of rotation.
- ▲ Increases frame versatility.
- ▲ Double set screws.
- ▲ Manufactured from 316 stainless steel.



Part No.	Description	Tube Size: mm/inch
G730S	Heavy Duty Stainless Steel Deck Fitting	25 1
G770S	Heavy Duty Stainless Steel Deck Fitting	22 ¾

Stainless Steel Boat Top Fittings

Frame Tube Hinge with Quick Release Pin

- ▲ Heavy duty design and construction.
- ▲ Allows frame folding.
- ▲ Quick release locking pin.
- ▲ Manufactured from 316 stainless steel.



G747S

Part No.	Description	Tube Size: mm/inch
G744S	Heavy Duty Stainless Steel Tube Hinge	25 1
G747S	Heavy Duty Stainless Steel Tube Hinge	22 ¾

Gemlock™ Collapsible Frame Hinge

The Gemlock™ Hinge System is the most simple and effective way to build collapsible supports and folding frames.

- ▲ Simple operation: Slide back the locking sleeve and pop the hinge to fold frame.
- ▲ A complete installation will require 1 hinge, 1 locking sleeve, 2 snap buttons and 2 machine screws.
- ▲ Full installation instructions sheet available upon request.
- ▲ Use for folding: Spray hoods, biminis and tables.



Part No.	Description	Tube Size: mm/inch
G750S	Gemini Hinge	22 ¾
G751S	Gemini Hinge	25 1
G757	Snap Button, Solid Head	
G758	Snap Button, Hollow Head	
G760	Locking Sleeves	22 ¾
G761	Locking Sleeves	25 1

Page Navigation

Cover Fabrics - See Pages 134 - 136
Window Material - See Page 148



Jaw Slides/Eye Ends

- ▲ Die cast type 316 stainless steel.
- ▲ Mirror polished finish



G620S



G621S

Part No.	Description	Tube Size: mm/inch
G601S	Jaw Slide	19 ¾
G620S	Jaw Slide	22 ¾
G630S	Jaw Slide	25 1
G640SHD	Jaw Slide	31 1/8
G611S	Eye End	19 ¾
G621S	Eye End	22 ¾
G631S	Eye End	25 1
G641SHD	Eye End	31 1/8

Universal Deck Hinges

Universal deck hinge compensates for different angles of decks and coamings. Made from mirror polished stainless steel, even vertical surfaces can be accommodated. Available with a screw or quick release pin for easy removal.

- ▲ Die cast type 316 stainless steel.
- ▲ Mirror polished finish.
- ▲ Accepts all sizes of eye end.
- ▲ Compensates for different deck and coaming angles including vertical surfaces.
- ▲ Available with screw or quick release pin.



Part No.	Description
G615S	Universal deck hinge with screw
G615SQP	Universal deck hinge with quick release pin

Split Jawslide/Rail Fitting

Mounts without the need to disassemble the rail. Ideal for use on rails that are welded together. Simply slide the two halves together on either side of the rail and they interlock. The fitting fastens easily with a single nut and bolt to the rail in the exact position you desire.

- ▲ Package consists of one rail fitting (2 halves) and a stainless steel screw and nut.
- ▲ Type 316 stainless steel.
- ▲ Order G625PIN or G627PIN to connect eye end.




Part No.	For Use With Tube Size
G820S	22mm/ ¾ inch outside diameter
G830S	25mm/1 inch outside diameter
G840S	31mm/1 ¼ inch outside diameter

Stainless/Plastic Boat Top Fittings

Canopy Hinge Fittings

These canopy hinge fittings for use on stainless steel tubing have been designed specifically for the marine industry. They are produced from type 316 stainless steel, and white nylon so that they will not corrode. The swivelling base design is unique in that it allows for any possible variation in deck lines to be accommodated, eliminating any need for machining or padding.



Universal Deck Fittings - Stainless/Plastic

A swivelling base fitting achieved by a three piece design allows for 200° variation in mounting angle

▲ Fitting consists of three pieces which assemble into one fitting.



Part No.	Description	Pack Qty
G603	Universal deck fitting	10

End Plugs - Stainless/Plastic

White nylon injection molding around 1/8 inch stainless steel.

▲ Plug can be secured by gluing, with a self tapping screw, or by a dowel pin.



Part No.	Tube (External): mm/in	Tube (Internal): mm/in	Pack Qty
G675	19 3/4	15.9 5/8	10
G676	19 3/4	16.7 5/8	10
G677	20	16.8	10
G679	22 7/8	19.8 3/4	10

Canopy Slider & Track

Universal Deck Fitting mounted on Ronstan® 16mm track for simple and quick stowage of sprayhood frames.

- ▲ Universal deck fitting allows 200 degrees of rotation.
- ▲ 30cm/12" length of Type 316 stainless steel track supplied with plastic endcaps.
- ▲ Solid stainless steel track slide is fitted with easy grip plunger.
- ▲ Use with G675, G676, G677 and G679.



Part No.	Description
G590	Canopy Slide Track Unit

Duo Track System

- ▲ Quick release adjustment.
- ▲ Manufactured from 316 stainless steel.
- ▲ Ultra low profile design with positive locking mechanism.
- ▲ Easily operated by hand or foot.
- ▲ Ideal for mounting biminis on center cockpits.



Part No.	Tube (External): mm/in	Pack Qty
G723S	Duo Track - 3 metres long	Each
G723END	Duo Track Stainless Steel End Stop	Each
G721S	Duo Track Car with Low Profile Deck Hinge (G645S)	Each
G721STOP	Duo Track Car Locking Stop	Each

*Note: Only one side is locking.

Tube Clamps - Stainless

- ▲ Clamp comes complete with spacer and screw to use with end plugs.
- ▲ Clamp fits over tube and allows movement of the plug space-end fitting.



Part No.	Tube (External): mm/in	Pack Qty
G655	19 3/4	10
G656	20 -	10
G657	22 7/8	10

Grab Rail Terminal Fitting

Grab rails add an additional safety feature to the canopy and can be easily retro-fitted.

- ▲ Made from type 316 stainless steel with nylon trim.
- ▲ Attaches to the grab rail with standard end plugs, and to the exposed part of the hood frame by clamping screws.
- ▲ Takes up any misalignment between the grab rail and the hood for easy fitting.
- ▲ Sold in handed pairs.



Part No.	Tube (External): mm/in	Pack Qty
G660	19 3/4	1 Pair
G661	22 7/8	1 Pair
G662	25 1	1 Pair

Stainless/Plastic Boat Top Fittings

Grab Rail Stand Off Fitting

Grab rails add an additional safety feature to the canopy and can be easily retro-fitted.

- ▲ Fixes to the existing frame and clamps to the grab rail.
- ▲ Fits around the cloth so that no cutting of the material is necessary.
- ▲ Maximum space between either the terminal fittings and a stand off fitting or between stand off fittings should not exceed 500mm (20 inches).



Part No.	Sprayhood to Rail Tube: mm/in		Pack Qty
G665	19 to 19	¾ to ¾	1 Pair
G666	22 to 19	¾ to ¾	1 Pair
G667	25 to 19	1 to ¾	1 Pair
G668	22 to 22	¾ to ¾	1 Pair

Hand Clamps - Stainless


- ▲ Large nylon tensioning knob allows quick and simple adjustment.
- ▲ Clamp comes complete with spacer and screw to use with end plugs.
- ▲ Clamp fits over tube and allows movement of the plug space-end fitting.



Part No.	Tube (External): mm/in		Pack Qty
G650WT	19	¾	10
G651WT	20	¾	10
G652WT	22	¾	10
G653WT	25	1	10

Boat Cover Socket

- ▲ Use one or more pairs of sockets with 40mm/1 ¾" fiberglass batten material to support boat cover.
- ▲ Use No 8 flat or oval head screws.
- ▲ Sockets are sold in pairs only.



Part No.	Description	Pack Qty
G670	Chrome die cast	10 pair

Adjustable Anodised Aluminium Awning Poles



Part No.	Description
G308	Adjusts from 1.2 to 2.4metres/4 to 8 feet
G309	Adjusts from 1.8 to 3.6 metres/6 to 12 feet - heavy duty

Adjustable Mooring Pole - Aluminium

Telescopic aluminium pole to keep boat cover taut and prevent puddling of water and leakage. Black plastic end fitting passes through a No. 1 grommet in the middle of the cover. A soft vinyl foot on the other end prevents damage to the floor. Positive locking screw allows easy adjustment to the correct height for a tight fit of the cover.

- ▲ Black plastic tapered end passes through No 1 grommet.
- ▲ Soft vinyl foot prevents damage to floor.
- ▲ Easy positive locking thumb screw.



For Grommets
See Pages 98 - 99



Part No.	Size
G370	Adjusts from 1.0 to 1.3 metres/40 to 52 inches

DOT® Fasteners

Commonsense Turnbutton Fasteners

Traditional fastenings for boat and marine covers and canvas work, recommended by Bainbridge International, for incorporating secure fastening combined with easy access.

- ▲ All manufactured in nickel plated brass.
- ▲ Available only in full packs of 100.
- ▲ Supplied with clinch plates where applicable.



Part No.	Description	Cutting Punch	Pack Qty
G100	Single stud with 2 screw base	-	100
G101	Double stud with 2 screw base	-	100
G103	Single stud with 2 prongs*	C951	100
G102	Double stud with 2 prongs*	C951	100
G106	Single stud with brass screw	-	100
G104	Eyelet with regular prongs*	C132	100
G105	Eyelet with long prongs*	C132	100

*Including clinch plate

Commonsense Cutting Punches

▲ To prolong life of tool, use a mallet and a cutting pad.



Part No.	Description	Fastener
C950	Cutting punch	G102/103
C951	Heavy Duty Cutting punch	G104/105
C132	Standard Cutting punch	G104/105

Lift-the-Dot® Fasteners


- ▲ All manufactured in nickel plated brass.
- ▲ Available only in full packs of 100.
- ▲ Supplied with clinch plates where applicable.



Part No.	Description	Cutting Punch	Pack Qty
G110	Stud with 2 Screw Base	-	100
G130	Regular socket (including clinch plate)	C953	100
G120	Rivet Stud (including clinch plate)	-	100
G119	Single stud with 2 prongs (including clinch plate)	C950	100
G113	Stud with machine brass screw	C952	100
G115S	Stud with 10mm/ 3/8 " stainless steel screw	C952	100
G116S	Stud with 15mm/ 1/2 " stainless steel screw	-	100

Lift-the-Dot® Tools

▲ To prolong life of tool, use a mallet and a cutting pad.



Part No.	Description	Fastener
C950	Cutting punch	G119
C952	Cutting punch	G113/115/116
C953	Cutting punch	G130

Button Snap Fasteners

When superior snap action and holding strength is needed, DOT button snaps are the fastener to use. Self-piercing so no pre-punching is required, the snap fastener's heavy-duty construction assures a firm grip that will remain secure through years of use.

- ▲ All manufactured in nickel plated brass.
- ▲ Available only in full packs of 100.



G140



G151




G142



G145




G171
G175



G143

Part No.	Description	Setting Punch	Pack Qty
G140	Nickel Button with 5mm/ 5/16" barrel	C954/955	100
G140BU	Pacific Blue Button with 5mm/ 5/16" barrel	C954/955	100
G140BK	Black Button with 5mm/ 5/16" barrel	C954/955	100
G140WT	White Button with 5mm/ 5/16" barrel	C954/955	100
G140NV	Navy Blue Button with 5mm/ 5/16" barrel	C954/955	100
G141	Button with 6.5mm/ 1/4" barrel	C954/955	100
G142	Regular action socket	C954	100
G143	Stud for use with eyelet	C954/956	100
G145	Eyelet with 6.5mm/ 1/4" barrel	C954/956	100
G146	Eyelet with 8mm/ 5/16" barrel	C954/956	100
G147	Eyelet with 10mm/ 3/8" barrel	C954/956	100
G151	Stud with 12mm 1/2" Phillips head screw	C958	100
G152	Stud with 15mm/ 5/8" Phillips head screw	C958	100
G1520S	Stud with oversize stainless steel screw 15.9mm/ 5/8"	-	100
G171	Self Drilling stainless steel screw 12mm/ 1/2"	-	100
G175	Self Drilling stainless steel screw 20mm/ 3/4"	-	100


Snap Fastener Hand Setting Tools



C955



C956



C954

Part No.	Description	Cutting Punch	Fastener
C954	For buttons or eyelets	C955/956	G140/1/2/3/5/6/7
C955	For button	C954	G140/1
C956	For eyelet	C954	G145/6/7

Stainless Steel Button Snap Fastener


- ▲ The new all stainless steel DOT Buttons are stronger than the standard brass/nickel buttons, and also resist corrosion.
- ▲ The stainless steel barrels allows it to self-pierce through a greater variety and thickness of material without the need for pre-punching.
- ▲ The brass/nickel plated cap with stainless steel barrel self-pierces through nylons, Dacrons and webbings.
- ▲ G140BS - this button offers greater strength and higher quality than standard with low additional cost.
- ▲ Available only in full packs of 100.



G140SS/G140BS



G151SS



G143S



G142S



G145SS

Part No.	Description	Setting Punch	Pack Qty
G140SS	S.S. Button with S.S. 5mm/ 5/16" barrel	C954/955	100
G140BS	Brass/Nickel Button with S.S. 5mm/ 5/16" barrel	C954/955	100
G142SS	S.S. Regular action socket	C954	100
G143SS	S.S. Stud for use with eyelet	C954/956	100
G145SS	S.S. Eyelet with 6.5mm/ 1/4" barrel	C954/956	100
G151SS	Stud with stainless steel screw 10mm/ 3/8"	-	100

Press-N-Snap Tool

- ▲ Complete with die sets for Button Snap fasteners.



Part No.	Description	Fastener
C360	Closing tool for button snap fasteners	G140/147

Dies for Press-N-Snap Tool

- ▲ C361 - Four piece set.
- ▲ C362/363 - Two piece sets.




C361

Part No.	Description	Fastener
C361	Button fasteners, set	G140/7

Tenax & Permalock Fasteners

Permalock Fasteners

- ▲ All manufactured from Dupont® non-corrosive, UV stabilised "Zytel".
- ▲ Attach with flathead screws or rivets.
- ▲ Can be attached using 2 x G145/G147 eyelets.
- ▲ Available only in full packs of 100.



Part No.	Description	Colour	Pack Qty
G160BK	Single stud with 2 screw base	Black	100
G160WT	Single stud with 2 screw base	White	100
G160ABK	Backplate for stud	Black	100
G160AWT	Backplate for stud	White	100
G161BK	Eyelet clinch lock (2 part)	Black	100
G161WT	Eyelet clinch lock (2 part)	White	100

Permalock Cutting Punch

- ▲ For use with G161BK/WT Permalock Fasteners



Part No.	Description	Fastener
C140	Cutting punch for use with Permalock fasteners	G161

Tenax Fasteners

- ▲ Used on top quality marine and automotive covers.
- ▲ Positive lock.



Part No.	Description	Pack Qty
G164	Stud with whitworth machine screw	100
G165	Standard pull top w/lock washer	100
G166	Cloth base stud w/lock washer	100
G167	Wood screw stud	100
G168	2 Screw stud	100
G165TOOL	Tool for locating ring	1